Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 23, 1974

Author: *pages* iii-iv
Subject: *pages* v-viii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

A'Brook, J. (*joint author*), see Heard, A. J., 119–27.

Aitkenhead, P., Baker, C. R. B. and De Chickera, G. W. D. An outbreak of *Spodoptera litura*, a New Pest under Glass in Britain, 117–18.

Alford, D. V. and Dockerty, A. The Distribution of Eggs of *Acleris comariana* (Lepidoptera: Tortricidae) on Strawberry Plants, 156–9.

Alford, D. V. Lepidopterous Caterpillars damaging Strawberry Blossom, 48–9.

Allan, R. M. (*joint author*), see Shaw, M. W., 60–6.

Bainbridge, A. Effect of Nitrogen Nutrition of the Host on Barley Powdery Mildew 160–1.

Baker, C. R. B. (*joint author*), see Aitkenhead P., 117–18.

Bech-Anderson, J. (*joint author*), see Billing, Eve, 141–3.

Berridge, J. W. (*joint author*), see Shaw, M. W., 166.

Billing, Eve, Bech-Andersen, J. and Lelliott, R. A. Fireblight in Hawthorn in England and Denmark, 141–3.

Blackman, R. L. *Myzus dianthicola* H. R. L. on Glasshouse Carnations in England, 165–6.

Blasdale, P. A Method of Turf Sampling and Extraction of Leatherjackets, 14–16.

Blasdale, P. (*joint author*), see Shaw, M. W., 60–6.

Boyd, A. E. W. Sources of Potato Blight (*Phytophthora infestans*) in the East of Scotland, 30–6.

Burchill. R. T. (*joint author*), see Williamson, Cynthia J., 67–73.

Catherall, P. L. Chlorotic Streaking in Italian Ryegrass, 116–17.

Cook, R. J. (*joint author*), see Heard, A. J., 119–27.

Coppock, L. J. Notes on the Biology of Carrot Fly in Eastern England, 93–100.

De Chickera, G. W. D. (*joint author*), see Aitkenhead, P., 117–18.

Deacon, J. W. Interactions between Varieties of *Gaeumannomyces graminis* and *Phialophora radicicola* on Roots, Stem Bases and Rhizomes of the Gramineae, 85–92.

Dixon, G. R. Field Studies of Powdery Mildew (*Erysiphe cruciferarum*) on Brussels Sprouts, 105–9.

Dockerty, A. (*joint author*), see Alford, D. V., 156–9.

Dunn, J. A. and Kempton, D. P. H. Lettuce Root Aphid Control by Means of Plant Resistance, 76–80.

Dunning, R. A. and Winder, G. H. Effects of Aldicarb and some other Nematicides on Growth of Sugar Beet in *Heterodera schachtii*-infested Soil, 1–8.

Evans, S. G. (*joint author*), see Dickens, J. S. W., 70–2.

Faulkner, J. S. (*joint author*), see Sproule, T. R. M., 144–7.

Frost, R. R. (*joint author*), see Pemberton, A. W. 20–4.

Gandy, Doreen G. (*joint author*), see Gurney, Barbara, 17–19.

Griffin, M. J. (*joint author*), see Jones, O. W., 47.

Griffiths, D. C., Jeffs, K. A., Scott, G. C., Maskell, F. E., Mathias, P. L. and Roberts, P. F. Repellents, Synthetic Pyrethroids, and Organophosphorus Compounds as Seed Dressings against Wheat Bulb Fly (*Leptohylemyia coarctata* (Fall.)), 51–60.

Gurney, Barbara and Gandy, Doreen G. Methyl Bromide for Control of Bulb Scale Mite, *Steneotarsonemus laticeps* (Halb.), 17–19.

Gurney, Barbara and Hussey, N. W. Chemical Control of the Chrysanthemum Leaf Miner, *Phytomyza syngenesiae* (Hardy) (Diptera : Agromyzidae), 127–32.

Hague, N. G. M. (*joint author*), see Hunt, D. J., 133–5.

Heard, A. J., A'Brook, J., Roberts, E. T. and Cook, R. J. The Incidence of Ryegrass Mosaic Virus in Crops of Ryegrass grown for Seed in some Southern Counties of England, 119–27.

Hill, S. A. The Development and Control of Carnation Rust (*Uromyces dianthi*), 151–5.

Hill, D. S. Susceptibilities of Carrot Cultivars to Carrot Fly (*Psila rosae* (F.))., 36–9

Hunt, D. J. and Hague, N. G. M. The Distribution and Abundance of *Parasitaphelenchus oldhami*, a Nematode Parasite of *Scolytus scolytus* and *S. multistriatus*, the Bark Beetle Vectors of Dutch Elm Disease, 133–5.

Hunter, T. and Jordan, V. W. L. Fruit Blotch of Strawberry caused by *Fusarium sambucinum* Fuckel, 118.

Hussey, N. W. (*joint author*), see Gurney, Barbara, 127–32.

JEFFS, K. A. (*joint author*), see Griffiths, D. C., 51–60.
JENKINS, J. E. E. *Botrytis* Diseases in Barley, 83–4.
JONES, O. W. and GRIFFIN, M. J. Root and Stem Rot (*Phytophthora* spp.) of *Hebe* 'Pagei', 47.
JORDAN, V. W. L. and RICHMOND, D. V. The Effects of Benomyl on Sensitive and Tolerant Isolates of *Botrytis cinerea* infecting Strawberries, 81–3.
JORDAN, V. W. L. (*joint author*), see Hunter, T., 118.
JORDAN, V. W. L. Verticillium Wilt Disease of Strawberry: Cultivar Reaction and Effect on Runner Health and Production, 8–13.

KEMPTON, D. P. H. (*joint author*), see Dunn, J. A., 76–80.
KENNEDY, D. M. (*joint author*), see Montgomerie, Isabel G., 42–5.
KING, C. J. (*joint author*), see Walker, C., 166.

LELLIOTT, R. A. (*joint author*), see Billing, Eve, 141–3.
LOWE, H. J. B. and ROLFE, SUSAN J. A Key to Immature Forms of *Aphis fabae*, 162–3.
LOWE, H. J. B. Effects of *Metopolophium dirhodum* on Spring Wheat in the Glasshouse, 136–40.
LUFF, M. L. Aspects of Damage by Strawberry Ground Beetle (*Pterostichus madidus* (F.)), 101–4.

MASKELL, F. E. (*joint author*), see Griffiths, D. C., 51–60.
MATHIAS, P. L. (*joint author*), see Griffiths, D. C., 51–60.
MONTGOMERIE, ISABEL G. and KENNEDY, D. M. Preliminary Evaluation of Fungicides to Control Red Core of Strawberry, 42–5.
MORETON, B. D. *Opogona sacchari*, an Imported Pest of *Ficus elastica decora*, 163–4.

NASH, T. H. (*joint author*), see Wong, W. C., 25–9.
NG, K. W. and ROBERTS, E. T. Pathogenicity of *Nectria galligena* (Bres.), 49–50.

PEMBERTON, A. W. and FROST, R. R. Celery Mosaic Virus in England, 20–4.
POWELL, D. F. Fumigation of Field Beans against *Ditylenchus dipsaci*, 110–13.
PREECE, T. F. (*joint author*), see Wong, W. C., 25–9.
PRIOR, R. N. B. Three Japanese Aphids Introduced to Britain on Imported 'Bonsai' trees, 48.

RICHMOND, D. V. (*joint author*), see Jordan, V. W. L., 81–3.
ROBERTS, E. T. (*joint author*), see Heard, A. J., 119–27.
ROBERTS, E. T. (*joint author*), see Ng, K. W., 49–50.
ROBERTS, P. F. (*joint author*), see Griffiths, D. C., 51–60.
ROLFE, SUSAN J. (*joint author*), see Lowe, H. J. B., 162–3.

SCOTT, G. C. (*joint author*), see Griffiths, D. C., 51–60.
SEYMOUR, P. R. Colorado Beetles Reported in England and Wales, 1973, 147–50.
SHARP, M. K. A Comparison between a Laboratory Test and a Glasshouse Test for Detecting *Pleospora bjoerlingii* Infection on Garden Beet Seed, 74–5.
SHAW, M. W. and BERRIDGE, J. W. *Entomobrya nivalis* (L.) having an Economic Effect on a Crop of Raspberries, 166.
SHAW, M. W., BLASDALE, P. and ALLAN, R. M. A Comparison between the ODCB Technique and Heat Extraction of Soil Cores for Estimating Leatherjacket Populations, 60–6.
SIMMONDS, S. P. Onions attacked by *Acrolepia assectella* (Zell.), 49.
SOUTHEY, J. F. New or Unusual Host-plant Records for Plant-parasitic Nematodes, 1971–73, 45–6.
SPROULE, T. R. M. and FAULKNER, J. S. The Reaction of Eleven Genotypes of *Lolium perenne* to British and New Zealand Strains of *Gloeotinia temulenta*, 144–7.

UPSTONE, M. E. *Fusarium oxysporum* on Radish in England, 50.

WALKER, C. and KING, C. J. Interception of the Bark Beetle *Ips typographus* (L.) Imported from West Germany in Spruce Pulpwood Billets, 166.
WILLIAMSON, CYNTHIA J. and BURCHILL, R. T. The Perennation and Control of Pear Scab (*Venturia pirina* Aderh.), 67–73.
WINDER, G. H. (*joint author*), see Dunning, R. A., 1–8.
WONG, W. C., NASH, T. H. and PREECE, T. F. A Field Survey of Watermark Disease of Cricket Bat Willow in Essex and Observations on Some of the Probable Sources of the Disease, 25–9.

SUBJECT INDEX

Acleris comariana, 156.
Acrolepia assectella, 49.
Agrochola litura, 49.
Aldicarb for Control of *Heterodera schachtii*, 1.
Allium:
  Infested with *Aphelenchoides ritzemabosi*, 46.
  Infested with *Aphelenchoides ritzemabosi* and *Ditylenchus dipsaci*, 46.
Amphipyra tragopoginis, 49.
Anemone: infested with *Ditylenchus dipsaci*, 46.
Anilazine for Control of Strawberry Red Core, 42.
Aphelenchoides fragariae, 45.
Aphelenchoides ritzemabosi, 46.
Aphelia paleana, 49.
Aphids: Effects of *Metopolophium dirhodum* on Wheat in Glasshouse, 136.
  Key to Immature Forms of *Aphis fabae*, 162.
Aphis fabae, 162.
Aquatic Plants: Outbreak of *Spodoptera litura* under Glass, 117.
Azinphos-methyl for Control of: Chrysanthemum Leaf Miner, 129.

Barley:
  Botrytis Diseases, 83.
  Effect of Nitrogen Nutrition of Host on Powdery Mildew, 160.
Bayer 22555 ('Dexon') for Control of Strawberry Red Core, 42.
Beans:
  Fumigation of Field Beans Against *Ditylenchus dipsaci*, 110.
Beet: Detection of *Pleospora bjoerlingii* on Garden Beets, 74.
Bendiocarb for Control of: Chrysanthemum Leaf Miner, 129.
Benomyl for Control of:
  Botrytis cinerea, 81.
  Pear Scab, 68.
Bioresmethrin for Control of Wheat Bulb Fly, 52.
Bordeaux Mixture for Control of Pear Scab, 68.
Botrytis cinerea, 81, 83.
Bromophos for Control of Chrysanthemum Leaf Miner, 129.
Brussels Sprouts:
  Field Studies of Powdery Mildew, 105.
Buddleia: infested with *Aphelenchoides ritzemabosi*, 46.

C14421 for Control of *Heterodera schachtii*, 2.
C 18244 for Control of Wheat Bulb Fly, 52.
C 8874 for Control of Wheat Bulb Fly, 52.
Cacoecimorpha pronubana, 49.
Captafol for Control of Strawberry Red Core, 42.
Carbaryl for Control of Chrysanthemum Leaf Miner, 129.
Carbophenothion for Control of Chrysanthemum Leaf Miner, 129.
Carnation:
  Development and Control of Rust, 151.
  Myzus dianthicola under Glass in England, 165.
Carrot:
  Biology of Carrot Fly in Eastern England, 93.
  Susceptibilities of Cultivars to Carrot Fly, 36.
Cartap for Control of Chrysanthemum Leaf Miner, 129.
Celery: Celery Mosaic Virus in England, 20.
Ceramica pisi, 49.
Ceratocystis ulmi, 133.
Ceratostigma: infested with *Aphelenchoides ritzemabosi*, 46.
Chloraniformethan for Control of Strawberry Red Core, 42.
Chlorfenvinphos for Control of:
  Heterodera schachtii, 2.
  Wheat Bulb Fly, 58.
Chrysanthemum: Chemical Control of Leaf Miner, 127.
Cnephasia longana, 49.
Colorado Beetle: Beetles Reported in England and Wales, 1973, 147.
Cornus: infested with *Aphelenchoides fragariae*, 45.
Coumithoate for Control of Wheat Bulb Fly, 52.
'Cryptonol' for Control of Strawberry Red Core, 42.

Daconil for the Control of Carnation Rust, 152.
'Deet' for Control of Wheat Bulb Fly, 52.
Diazinon for Control of *Heterodera schachtii*, 2.
Dimethirimol for Control of Strawberry Red Core, 42.
Dimethoate for Control of Chrysanthemum Leaf Miner, 129.
Dinocap for Control of Strawberry Red Core, 42.
Dioxathion for Control of Chrysanthemum Leaf Miner, 129.
Disease Measurement: Powdery Mildew on Brussels Sprouts, 105.
Dithianon for Control of Strawberry Red Core, 42.
Ditylenchus dipsaci, 46, 110.
Drazoxolon for Control of Strawberry Red Core, 42.

Elm: Distribution and Abundance of Nematode Parasite of *Scolytus* spp. (Vectors of Dutch Elm Disease), 133.
'Embathion' for Control of Wheat Bulb Fly, 57.
Entomobrya nivalis, 166.
Erwinia amylovora, 141.
Erwinia salicis, 25.
Erysiphe cruciferarum, 105.
Erysiphe graminis, 160.
Ethion for Control of Wheat Bulb Fly, 52.
Euphorbia: infested with *Meloidogyne incognita*, 46.

Fensulfothion for Control of *Heterodera schachtii*, 2.
Ferbam for Control of Strawberry Red Core, 42.
Ficus elastica decora infested with *Opogona sacchari*, 163.
Folpet for Control of Strawberry Red Core, 42.
FUN 52.133–03–G05 for control of Strawberry Red Core, 42.
Fusarium oxysporum, 48.
Fusarium sambucinum, 188.

Gaeumannomyces graminis var. *graminis*, 85.
Gaeumannomyces graminis var. *tritici*, 85.
Gamma-BHC for Control of Wheat Bulb Fly, 58.
Gibberella pulicaris, 118.
Gloeotinia temulenta, 144.
Grasses:
Interactions between varieties of *Gaeumannomyces graminis* and *Phialophora radicicola*, 85.

Hawthorn: Fireblight in England and Denmark, 141.
Heat Extraction Method for Estimating Leatherjacket Populations, 60.
Hebe: Root and Stem Rot (*Phytophthora* spp.), 47.
Heterodera schachtii, 1.

Ips typographus, 166.

Keys: Immature Forms of *Aphis fabae*, 162.

Leatherjackets:
Method of Turf Sampling and Extraction, 14.
Techniques for Estimating Populations, 60.
Leptinotarsa decemlineata, 147.
Leptohylemyia coarctata, 51.
Leptosphaeria korrae, 85.
Leptosphaeria narmari, 85.
Lettuce: Root Aphid Control by Plant Resistance, 76.
Lewisia: infested with *Aphelenchoides ritzemabosi*, 46.

Maize:
Interactions between varieties of *Gaeumannomyces graminis* and *Phialophora radicicola*, 85.
Malathion for Control of Chrysanthemum Leaf Miner, 129.
Mancozeb and Zineb for Control of Strawberry Red Core, 42.
Mancozeb ('Trithac') for Control of Strawberry Red Core, 42.
Maneb for Control of Strawberry Red Core, 42.
Maneb plus Nickel Sulphate for the Control of Carnation Rust, 152.
Meloidogyne, 46.
Meloidogyne hapla, 46.
Methomyl for Control of *Heterodera schachtii*, 2.
Methyl Bromide for Control of Bulb Scale Mite, 17.
Metopolophium dirhodum, 136.
MGK 11 for Control of Wheat Bulb Fly, 52.
MGK 874 for Control of Wheat Bulb Fly, 52.
Mountain Ash: Pathogenicity of *Nectria galligena*, 49.
Myzus dianthicola, 165.

Nabam for Control of Strawberry Red Core, 42.
Narcissus: Methyl Bromide for Control of Bulb Scale Mite, 17.
Nectria galligena, 49.
Nematodes:
Effects of Nematicides on Growth of Sugar Beet in *Heterodera schachtii*-infested Soil, 1.
Fumigation of Field Beans Against *Ditylenchus dipsaci*, 110.
New or Unusual Host-plant Records for Nematodes, 1971–73, 45.
'Neosar' for Control of *Heterodera schachtii*, 2.
Nicotine for Control of Chrysanthemum Leaf Miner, 129.
NRDC 108 for Control of Wheat Bulb Fly, 52.
NRDC 114 for Control of Wheat Bulb Fly, 52.

Onion: Attacked by *Acrolepia assectella*, 49.
Opogona sacchari, 163.
Orthodichlorobenzene Technique for Estimating Leatherjacket Populations, 60.
Orthosia gracillis, 48.
Oxamyl for Control of *Heterodera schachtii*, 2.
Oxycarboxin for Control of:
Carnation Rust, 152.
Strawberry Red Core, 42.

Paeonia: infested with *Aphelenchoides fragariae*, 45.
Parasitaphelenchus oldhami, 133.
Pear: Perennation and Control of Scab, 67.
Pemphigus bursarius, 76.

Pest Assessment:
Estimating Leatherjacket Populations, 60.
Method of Turf Sampling and Extraction of Leatherjackets, 14.
Phenylmercuric Chloride for Control of Pear Scab, 68.
Phialophora radicicola var. *graminicola*, 85.
Phialophora radicicola var. *radicicola*, 85.
Phytophthora cinnamomi, 47.
Phytophthora citricola, 47.
Phytophthora cryptogea, 47.
Phytophthora fragariae, 42.
Phytophthora infestans, 30.
Phytomyza syngenesiae, 127.
Pirimicarb for Control of Chrysanthemum Leaf Miner, 129.
Pirimiphos-ethyl for Control of Chrysanthemum Leaf Miner, 129.
Pirimiphos-methyl for Control of:
Chrysanthemum Leaf Miner, 129.
Hetrodera schachtii, 2
Pleospora bjoerlingii, 74.
Potato: Sources of Blight in East Scotland, 30.
'Prophos' for Control of *Heterodera schachtii*, 2.
Propineb for Control of Strawberry Red Core, 42.
Psila rosae, 36, 93.
Pterostichus madidus, 101.

Quintozene for Control of Strawberry Red Core, 42.

R 17210 for Control of *Heterodera schachtii*, 2.
R 22395 for Control of Strawberry Red Core, 42.
R 45173 for Control of Strawberry Red Core, 42.
Radish: Outbreak of *Fusarium oxysporum*, 48.
Raspberry: Affected by *Entomobrya nivalis*, 166.
RD 18502 for Control of *Heterodera schachtii*, 2.
Resmethrin for Control of Wheat Bulb Fly, 52.
Ryegrass:
Chlorotic Streaking in Italian Ryegrass, 116.
Incidence of Mosaic Virus in Southern England, 119
Reaction of Eleven Genotypes to *Gloeotinia temulenta*, 144.

Saxifraga: infested with *Aphelenchoides fragariae*, 45.
Scolytus multistriatus, 133.
Scolytus scolytus, 133.
Seed Disinfection: Fumigation of Field Beans Against *Ditylenchus dipsaci*, 110.
Seed Testing of Garden Beet for *Pleospora bjoerlingii*, 74
Spodoptera litura, 117.
Spruce: Interception of Bark Beetle in Imported Pulpwood Billets, 166.
Steneotarsonemus laticeps, 17.
Strawberry:
Damage to Fruit by Ground Beetle, 101.
Distribution of Eggs of Tortrix Moth on Plants, 156.
Effect of Benomyl on *Botrytis cinerea*, 81.
Evaluation of Fungicides to Control Red Core, 42.
Fruit Blotch caused by *Fusarium sambucinum*, 118.
Lepidopterous Caterpillars damaging Blossoms, 48.
Reaction of Cultivars to Verticillium Wilt and Effect on Runner Health and Production, 8.
Sugar Beet: Effect of Nematicides on Growth in *Heterodera schachtii*-infested Soil, 1.
Surveys:
Colorado Beetle Reported in England and Wales, 1973, 147.
Distribution and Abundance of Nematode Parasite of *Scolytus* spp. (Vectors of Dutch Elm Disease), 133.
for Ryegrass Mosaic Virus in Ryegrass Seed Crops in Southern England, 119.
Watermark Disease of Willow in Essex, 25.

Terrazole ('Aaterra') for Control of Strawberry Red Core, 42.
Tetraneura akinire, 48.
Thalictrum: infested with *Meloidogyne hapla*, 46.
Thiabendazole for Control of Pear Scab, 68.
Thionazin for Control of *Heterodera schachtii*, 2.
Thiophanate-methyl (NF 44) for Control of Strawberry Red Core, 42.
Thiophanate (NF 35) for Control of Strawberry Red Core, 42.
Thiophanate (NF 48) for Control of Strawberry Red Core, 42.
Tinocallis ulmiparvifoliae, 48.
Tinocallis zelkowae, 48.
Tipula paludosa, 14,
Tipula spp., 60.
Trichlorphon for Control of Chrysanthemum Leaf Miner, 129.
Turf:
Interactions between varieties of *Gaeumannomyces graminis* and *Phialophora radicicola*, 85.
Method of Sampling and Extraction of Leatherjackets, 14.

Udea prunalis, 49.
Ulmus spp.: Japanese Aphids Introduced to Britain on 'Bonsai' Trees, 48.
Urea for Control of Pear Scab, 68.
Uromyces dianthi, 151.

Venturia pirina, 67.
Verticillum dahliae, 8.
Virus Diseases:
Celery Mosaic Virus in England, 20.
Chlorotic Streaking in Italian Ryegrass, 116.
Incidence of Ryegrass Mosaic Virus in Ryegrass Seed Crops in Southern England, 119.
Ryegrass Chlorotic Streak Virus, 116.

Weather in England and Wales:
Autumn and Winter 1973–74, 115.
Spring and Summer 1973, 41.
Wheat:
Colorado Beetles Associated with Imported Wheat, 147.
Effects of *Metopolophium dirhodum* in Glasshouse, 136.
Interactions between varieties of *Gaeumannomyces graminis* and *Phialophora radicicola*, 85.
Seed Dressings for Control of Bulb Fly, 51.
Willow: Survey of Watermark Disease in Essex and Observations on Sources, 25.

Zelkova serrata: Tinocallis zelkowae Introduced to Britain on 'Bonsai' Trees, 48.
Zineb for Control of:
Carnation Rust, 152.
Strawberry Red Core, 42.

Dd 504340 K13 1/75 Ed (11859)